

## Important Information about Dilating Drops

Drops have been used to enlarge your pupils, thus allowing a much better view inside the eye. They may slightly affect your vision for a few hours, so you should take care and also avoid driving if you feel that they are affecting your ability to see clearly. Your eyes will be sensitive to light for a while, so sunglasses may help.

Very rarely, these drops can cause a rise in pressure in the eye. If one or both of your eyes were to become very painful, possibly with cloudy vision, in the next few hours or so, or if you develop an unusually severe headache, then you must seek help. In practice hours, contact me. Failing that, you should go to your local hospital casualty department. Take this card with you.

*The dilating drops used were: Tropicamide / Phenylephrine. (delete as nec.)*

## Important Information about Dilating Drops

Drops have been used to enlarge your pupils, thus allowing a much better view inside the eye. They may slightly affect your vision for a few hours, so you should take care and also avoid driving if you feel that they are affecting your ability to see clearly. Your eyes will be sensitive to light for a while, so sunglasses may help.

Very rarely, these drops can cause a rise in pressure in the eye. If one or both of your eyes were to become very painful, possibly with cloudy vision, in the next few hours or so, or if you develop an unusually severe headache, then you must seek help. In practice hours, contact me. Failing that, you should go to your local hospital casualty department. Take this card with you.

*The dilating drops used were: Tropicamide / Phenylephrine. (delete as nec.)*

## Important Information about Dilating Drops

Drops have been used to enlarge your pupils, thus allowing a much better view inside the eye. They may slightly affect your vision for a few hours, so you should take care and also avoid driving if you feel that they are affecting your ability to see clearly. Your eyes will be sensitive to light for a while, so sunglasses may help.

Very rarely, these drops can cause a rise in pressure in the eye. If one or both of your eyes were to become very painful, possibly with cloudy vision, in the next few hours or so, or if you develop an unusually severe headache, then you must seek help. In practice hours, contact me. Failing that, you should go to your local hospital casualty department. Take this card with you.

*The dilating drops used were: Tropicamide / Phenylephrine. (delete as nec.)*

## Important Information about Dilating Drops

Drops have been used to enlarge your pupils, thus allowing a much better view inside the eye. They may slightly affect your vision for a few hours, so you should take care and also avoid driving if you feel that they are affecting your ability to see clearly. Your eyes will be sensitive to light for a while, so sunglasses may help.

Very rarely, these drops can cause a rise in pressure in the eye. If one or both of your eyes were to become very painful, possibly with cloudy vision, in the next few hours or so, or if you develop an unusually severe headache, then you must seek help. In practice hours, contact me. Failing that, you should go to your local hospital casualty department. Take this card with you.

*The dilating drops used were: Tropicamide / Phenylephrine. (delete as nec.)*